

Scali Manage 5.4 Supported Platforms

<u>Vendor</u>	<u>Model #</u>	<u>Options</u>	<u>CPU</u>	<u>Red Hat</u>	<u>RHEL 4</u>	<u>RHEL 5</u>	<u>SUSE</u>	
				<u>RHEL 3</u> (1,2)	(1)		<u>SLES 9</u>	<u>SLES 10</u>
Generic			IA32	MCP	MCP	MCP	MCP	MCP
			EM64T	MCP	MCP	MCP	MCP	MCP
			AMD64	MCP	MCP	MCP	MCP	MCP
Dell	PE650		IA32					
	PE750	DRACIII/XT	IA32					
	PESC1425		EM64T					
	PESC1435		AMD64					
	PE1550	ERA/O	IA32					
	PE1650	ERA/O	IA32					
	PE1750	ERA/O	IA32					
	PE1850		EM64T					
	PE1855		EM64T					
	PE1950		EM64T					
	PE2650		IA32					
	PE2850		EM64T					
	PE2950		EM64T					
	PE6650	DRACIII	IA32	C	C		C	C
Fujitsu Siemens	RX200		IA32	MCP	MCP	MCP	MCP	MCP
	HpclLine		AMD64	MCP	MCP	MCP	MCP	MCP
HP	BL20pG2		IA32					
	BL20pG3		EM64T					
	BL25p		AMD64					
	BL25pG2		AMD64					
	BL30p		EM64T					
	BL35p		AMD64					
	BL45pG2		AMD64					
	BL460c		EM64T					
	BL465c		AMD64					
	BL480c		EM64T					
	DL140G2		EM64T					
	DL140G3		EM64T					
	DL145		AMD64					
	DL145G2		AMD64					
	DL145G3		AMD64					
	DL360		IA32					
	DL380		IA32					
	DL360G2		IA32					
	DL380G2		IA32					

DL360G3		IA32						
DL380G3		IA32						
DL360G4		EM64T						
DL360G4p		EM64T						
DL380G4		EM64T						
DL360G5		EM64T						
DL380G5		EM64T						
DL385		AMD64	(4)	(4)	(4)	(4)	(4)	(4)
DL385G2		AMD64	(4)	(4)	(4)	(4)	(4)	(4)
DL580G4		AMD64	(4)	(4)	(4)	(4)	(4)	(4)
DL585		AMD64	(4)	(4)	(4)	(4)	(4)	(4)
DL585G2		AMD64	(4)	(4)	(4)	(4)	(4)	(4)

IBM	e325		AMD64					
	e326		AMD64					
	e335		IA32	MCP	MCP	MCP	MCP	MCP
	e336		EM64T					
	e345		IA32	MCP	MCP	MCP	MCP	MCP
	x346		EM64T					
	x3550		EM64T					
	HS20		EM64T					
	HS21		EM64T					

Linux Networx	LS-1		AMD64					
	LS-1		EM64T					


SGI	Altix XE210		EM64T					
	Altix XE240		EM64T					
	Altix XE310		EM64T					

Sun	V20z		AMD64	C	C	C	C	C
	V40z		AMD64	MC	MC	MC	MC	MC
	V60z		AMD64	MC	MC	MC	MC	MC
	X2100		AMD64	M	M	M	M	M
	X4100		AMD64					
	X4200		AMD64					

SuperMicro	6010H		IA32	MCP	MCP	MCP	MCP	MCP
	6012P-6		IA32	MCP	MCP	MCP	MCP	MCP
	6022		IA32	MCP	MCP	MCP	MCP	MCP

Tyan	S2462		IA32	MCP	MCP	MCP	MCP	MCP
-------------	-------	--	------	-----	-----	-----	-----	-----

Notes:

 = Certified

Certified nodes have been fully tested to work with Scali Manage. The necessary configuration is performed automatically subject to prerequisites in the software release notes. This generally includes the automatic configuration of features such as power, console and environmental monitoring where applicable.

To obtain a fully certified status, the product must have passed a set of formal verification tests that are documented, dated and signed. Such documentation is available upon request. Please note that some manual configuration of certified nodes may be required due to variations in product shipments from the vendor.



= Approved

Approved status is given to components that are expected to work with Scali Manage either out-of-the box, or subject to prerequisites in release notes after some manual configuration.

M = Hardware environmental monitoring support not available

C = Console support requires external console switch

P = Power switching support requires external power switch

- 1) WS not supported on frontends, only for compute nodes
- 2) EM64T on RHEL 3 requires Update 2 or higher
- 3) Monitoring software is only available for certain kernels.
Must be manually installed, external power and console switching
- 4) Monitoring software does not cover all available sensors